

CHIRP-READY

NEW

## TM185MW Transom Mount

### Medium Frequency Ultra-Wide Transducer

AIRMAR's innovative transducer designs have revolutionized the fishing world, and they continue to do so with the NEW Chirp-ready TM185 Medium Ultra-Wide (MW) Transom Mount transducer. The TM185MW takes transducer design and performance to a whole new level by using medium frequency (60-100 kHz) with an incredible ultra-wide beamwidth ranging from 57-73° port-starboard to 16° average fore-aft. Maximum coverage under the boat is achieved with this medium-frequency transducer, serving anglers who target pelagic species in the upper water column. Airmar's new Medium Ultra-Wide models are perfect for seeking deeper species with a frequency band from 60-100 kHz.

The TM185MW Transom Mount is a 1 kW transducer housed in one of AIRMAR's most popular housings. Transom models are best suited for small and trailered vessels where a thru-hull installation is not practical. Simple to install and ideal for small trailered vessels where a thru-hull may interfere with loading.


### Features

- Depth and fast-response water-temperature sensor
- 1 kW with depth tracking down to 400 m (1,300')
- Medium frequency: 60-100 kHz
  - 57° to 73° beamwidth (port/starboard)
  - 16° average fore/aft
- 40 kHz of total bandwidth from one transducer
- Medium frequency for superior mid-depth performance and excellent fish-target separation
- Simple installation on transom of the boat
- Great performance at boat speeds below 30 knots
- Easy maintenance and low-cost replacement
- Exclusive Xducer ID® technology




# TM185MW Chirp-Ready

## Technical Data – 60 kHz to 100 kHz



## Transmit Radiation Pattern





Beamwidth	@ 60 kHz
-3 dB	22°/55°
-6 dB	31°/78°
-10 dB	40°/103°

Beamwidth	@ 80 kHz
-3 dB	16°/63°
-6 dB	22°/85°
-10 dB	28°/106°

Beamwidth	@ 100 kHz
-3 dB	13°/58°
-6 dB	18°/84°
-10 dB	23°/103°

## DIMENSIONS



[www.airmar.com](http://www.airmar.com)



©AIRMAR Technology Corporation

TM185MW\_rB 10/25/23

As AIRMAR constantly improves its products, all specifications are subject to change without notice. All AIRMAR products are designed to provide high levels of accuracy and reliability, however they should only be used as aids to navigation and not as a replacement for traditional navigation aids and techniques. Other company or product names mentioned in this document may be trademarks or registered trademarks of their respective companies, which are not affiliated with AIRMAR.

